



# EC Declaration of Performance

System 3

System Identification **REHAU Total70 Casement Window**

Reference Number / Issue No **Abb1980 001**

Intended Use **Non Escape Route**

Manufacturer **Abbey Windows (thames valley) Ltd  
50a Portman Road  
Reading  
Berkshire  
Rg30 1EA**

Relevant Harmonised Standard **EN 14351 - 1:2006 + A1: 2010 Annex ZA**

Essential Characteristics	Declared Performance	Test Standard	Test Report Reference and date
Water-tightness	npd	BS EN 1027	N/A
Air Leakage	npd	BS EN 1026	N/A
Resistance to Windload	npd	BS EN 12211	N/A
Dangerous substances	None	EN 14351-1 2006	Declaration by Profile Supplier
Load bearing capacity of safety devices	Pass	BS EN 948	Test Certificates provided by Supplier
Acoustic Performance		BS EN ISO 140-3	N/A
Thermal Transmittance Uw	<4.6 W/m <sup>2</sup> .K	EN ISO 10077-1 & 2	BRE Calculator
Radiation Properties	npd	EN 410	N/A
Ability to Release	npd	BS EN 179/ BS EN 1125	N/A
Impact Resistance	npd	BS EN 13049	N/A
Height (mm)	0	BS EN 14351 -1 2006	N/A

**This declaration relates to a worst case scenario and as such all our products will give an equal to or better than performance to those quoted**

This Declaration of Performance is issued under the sole responsibility of **Abbey Windows (thames valley) Ltd**

Signed on Behalf of **Abbey Windows (thames valley) Ltd**

**Signature** .....

**Name and Position :** Neil Whitehead .....

Managing Director .....

Date 26 / 06 / 2013 .....