



EC Declaration of Performance

System 3

System Identification **Linlar Residential Door**

Reference Number / Issue No **1990** **001**

Intended Use **Non Escape Route**

Manufacturer **Abbey Windows (thames valley) Ltd**
50a Portman Road
Reading
Berkshire
Rg30 1EA

Relevant Harmonised Standard **EN 14351 - 1:2006 + A1: 2010 Annex ZA**

Essential Characteristics	Declared Performance	Test Standard	Test Report Reference and date
Water-tightness	50 Pa (BSI TR059-15)	BS EN 1027	N/A
Air Leakage	npd	BS EN 1026	N/A
Resistance to Windload	800 Pa (BSI TR059-15)	BS EN 12211	N/A
Dangerous substances	None	EN 14351-1 2006	Declaration by Profile Supplier
Load bearing capacity of safety devices	Pass	BS EN 948	Test Certificates provided by Supplier
Acoustic Performance		BS EN ISO 140-3	N/A
Thermal Transmittance Uw	<4.7 W/m ² .K	EN ISO 10077-1 & 2	BRE Calculator
Radiation Properties	npd	EN 410	N/A
Ability to Release	npd	BS EN 179/ BS EN 1125	N/A
Impact Resistance	npd	BS EN 13049	N/A
Height (mm)	<4000mm	BS EN 14351 -1 2006	N/A

This declaration relates to a worst case scenario and as such all our products will give an equal to or better than performance to those quoted

This Declaration of Performance is issued under the sole responsibility of
Abbey Windows (thames valley) Ltd

Signed on Behalf of **Abbey Windows (thames valley) Ltd**

Signature Neil Whitehead

Name and Position : Neil Whitehead

Managing Director

Date 20 / 11 / 2013